





BWB4020FL Depository Safe

Specifications:


1. Safe, 49 3/4"H x 20"W x 20"D, Outside, Burglary Class "B"
2. Chest, 49 3/4"H x 19 3/4"W x 17"D,
Inside, Constructed of 1/8" Thick Steel, with Formed Body with Integral Reinforced Jambs and Two Adjustable Shelves.
 - One (1) Locker, Top, 5 5/16"H x 19 3/4"W x 15" (13 5/8" Clear) D, Inside Receiving a Front-Load Depository. Max Package Size: 4" x 9" x 11 1/2" with a 1/4" Thick Door. Clear Opening: 6"H x 14"W. Equipped with a UL Listed Medeco Cam Key Lock. Depository Protected by Dual Anti-Fish Baffles.
 - One (1) Open Area, Bottom, 29 1/8"H x 19 3/4"W. Clear Opening: 27 3/8"H x 16 1/4"W. Supplied with Three (3) Adjustable Shelves.
3. Outer Door, Clear Opening: 34 3/4"H x 16 1/4"W, Constructed of 1/2" Thick Steel. Provided with a recessed coin rack, and equipped standard with a UL Listed Three Wheel Combination Lock, Relocking Devices, a Bolt Detent Mechanism and Three-Way Locking Mechanism with Five (5) 1" Dia. Chrome-Plated Locking Bolts. Lock Protected by a Drill-Resistant Hardplate.
4. Option UL Listed ESL20XL Electronic keypad combination lock on outer door only.
5. Safe provided with Four (4) 1/2" Dia. Anchor Holes.
6. Approximate Weight: 368 lbs.








SECTION VIEW



FRONT VIEW
(SHOWN WITHOUT DOOR)



PLAN VIEW